



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/256,346	02/24/1999	KEN-ICHI TAKATORI	Q053397	9700
7590 08/24/2005 SUGHRUE MION ZINN MACPEAK & SEAS			EXAMINER	
			NELSON, ALECIA DIANE	
2100 PENNSY	LVANIA AVENUE N			
WASHINGTON, DC 200377060			ART UNIT	PAPER NUMBER
	•		2675	

DATE MAILED: 08/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

· -		Application No.	Applicant(s)			
Office Action Summary		09/256,346	TAKATORI ET AL.			
		Examiner	Art Unit			
		Alecia D. Nelson	2675			
Period fo	The MAILING DATE of this communication or Reply	on appears on the cover sheet with	n the correspondence address			
THE - Exte after - If the - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR F MAILING DATE OF THIS COMMUNICAT nsions of time may be available under the provisions of 37 C SIX (6) MONTHS from the mailing date of this communicati period for reply specified above is less than thirty (30) days period for reply is specified above, the maximum statutory re to reply within the set or extended period for reply will, by reply received by the Office later than three months after the ed patent term adjustment. See 37 CFR 1.704(b).	ION. CFR 1.136(a). In no event, however, may a repon. s, a reply within the statutory minimum of thirty period will apply and will expire SIX (6) MONT statute, cause the application to become ABA	oly be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on	26 April 2005.				
2a) <u></u>	This action is FINAL . 2b)⊠	This action is non-final.				
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5) 6) 7)	Claim(s) <u>1-9 and 16-19</u> is/are pending in 4a) Of the above claim(s) is/are wire Claim(s) <u>16-19</u> is/are allowed. Claim(s) <u>1-9</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and claim(s) are subject.	thdrawn from consideration.				
Applicat	ion Papers					
10)	The specification is objected to by the Example The drawing(s) filed on is/are: a) Applicant may not request that any objection Replacement drawing sheet(s) including the other than the oath or declaration is objected to by the specification is objected.	accepted or b) objected to b to the drawing(s) be held in abeyand correction is required if the drawing(s	e. See 37 CFR 1.85(a). i) is objected to. See 37 CFR 1.121(d).			
•						
12)□ a)	Acknowledgment is made of a claim for for All b) Some * c) None of: 1. Certified copies of the priority docu 2. Certified copies of the priority docu 3. Copies of the certified copies of the application from the International E	nments have been received. Iments have been received in Ap e priority documents have been r Bureau (PCT Rule 17.2(a)).	plication No eceived in this National Stage			
Attachmen	ıt(s)					
1) Notice 2) Notice 3) Infor	te of References Cited (PTO-892) te of Draftsperson's Patent Drawing Review (PTO-94) mation Disclosure Statement(s) (PTO-1449 or PTO/94) or No(s)/Mail Date	Paper No(s)	nmmary (PTO-413) /Mail Date ormal Patent Application (PTO-152) -·			

Art Unit: 2675

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1-9 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. There is no disclosure found by the examiner in the specification as originally filed which discloses an active matrix liquid crystal display apparatus without intrinsic memory effect comprising simultaneously resetting a voltage difference between pixel electrodes and common electrodes.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 2675

4. Claims 1-4, 8/1, 8/2/1, 8/3/2/1, and 8/4/3/2/1 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mihara (JP Patent No. 405303076) in view of Okada et al. (U.S. Patent No. 4,800,382) and Hashimoto et al. (U.S. Patent No. 6,295,043).

With reference to **claim 1**, Mihara teaches a method for driving a liquid crystal display device comprising scanning successively a plurality of scan lines in a first field of a frame for display and scanning successively the scan lines in a second field of the frame for display in an order reverse to that in the first field (see page 4, paragraphs 27-28, of computer translation). It can be seen in figure 4 that the first field (left half) scans lines S1-Sn successively and in the second field (right half) scans in a reverse direction from lines Sn-S1.

Mihara fails to specifically teach that the liquid crystal display is of active matrix type, and simultaneously resetting the scan lines in the first field after the scan lines are successively scanned in the first and second field.

Okada teaches a method for driving a liquid crystal display device whereby the states written in the preceding field, or frame, are erased into "white" state (see column 6, lines 24-30). With further reference to an alternate embodiment it is taught that the erasure step (C1) is simultaneously applied to the scanning lines (see column 5, lines 59-63),

Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to allow the erasure step, as taught by Okada, in a driving method similar to that which is taught by Mihara, in order to reduce flickers in the display device.

Art Unit: 2675

Further, it would have been obvious to include the simultaneous reset of Okada to the display of Mihara to reduce the amount of scan time required. For example, if the reset period is T1 in Mihara, the total time is T1 x Number of scan lines. By providing simultaneous reset as taught by Okada the amount of time to display a frame (frame with two sub-frame) is reduced by 2 x [(T1 x No. of scan lines) – T1], which is a significant reduction in time to display an image frame.

Further, as to simultaneously resetting the scan lines after the scan lines are displayed, it would have been obvious to one skilled in the art to simply move the reset period from the start of the sub-frame as shown in fig. 6 of Okada to the end of the sub-frame (for example move the reset period C1 to the end of the display period C2). This would have been obvious when Okada is combined with Mihara as shown in fig. 4 of Mihara because the scan lines are rescanned in the reverse direction and would therefore need to be reset before the display system scans from the bottom row to the top row (i.e., in fig. 4 of Mihara, after row Sn is scanned, the simultaneous reset would occur for all scan lines so the pixels are ready for information to be written during the second sub-frame, i.e., from Sn to S1 (reverse order).

Also Hashimoto et al. teaches a display device and a driving method, wherein it is disclosed that the driving method could be preformed on a simple matrix type display device as well as an active matrix type display device (see column 9, lines 20-32).

Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to allow the wiring of a display device as a simple matrix or active matrix type similar to that which is taught by Hashimoto et al., with the driving method

Art Unit: 2675

taught by Mihara and Okada in order to thereby provide faster control over the display device.

With reference to **claim 2**, Mihara teaches that the scanning direction is reversed for every field in interlaced scanning (see page 5, paragraph 33-page 6, paragraph 34, of computer translation).. It can be seen in Figure 6, that the first field (first section) scans lines S1-Sn successively and in the second field (second section) scans in a reverse direction from lines Sn-S1.

With reference to **claim 3**, Mihara specifically teaches that two write periods are provided for each scan line, wherein there are two writes for each scan line since there is a write in the first field when scanned from top to bottom, and a write in the second field when scanned from bottom to top for each scan line contained in a single frame.

As to claim 4, it is clear from the modification discussed above with respect to claim 1, wherein the simultaneous reset set at the end of each field or sub-frame would result in each scan line being reset twice. For example, Mihara in Fig. 4 shows a first field or sub-frame being scanned from top S1 to bottom Sn which would be followed by a simultaneous reset as described above. The simultaneous reset allows for the scan lines to be written to once more. The second field or second sub-frame is ready to be written to and is scanned from bottom Sn to top S1 and is again followed by a simultaneous reset to allow for the next frame to be scanned. Therefore, the

Art Unit: 2675

modification of made to Mihara by Okada would provide two reset periods (claim 4) as well as two write periods (claim 3) for each scan line.

With reference to **claim 8/1, 8/2, 8/3/2/1. 8/4/3/2/1,** Mihara teaches that the driving method is applicable to drive liquid crystal and it would be obvious to include an apparatus for carrying out the driving of the liquid crystal.

5. Claims 7 and 9/7/1 are rejected under 35 U.S. C. 103(a) as being unpatentable over Mihara in view of Okada and Hashimoto et al. as applied to claim 1 above, further in view of Surguy (U.S. Patent No. 5,233,338).

With reference to **claim 7**, Mihara and Okada teach all that is required as explained above with reference to claim 1, however fail to teach that the display device successively displays data corresponding to three colors.

Surguy teaches a color sequential liquid crystal display wherein pixel elements are addressed to produce red, green and blue outputs in a display period (see column 4, lines 20-26).

Therefore it would have been obvious to combine the color outputs, as taught by Surguy, in a device similar to that, which is taught by Mihara and Okada in order to provide less flickers in a full color display device.

With reference to **claim 9/7/1**, Mihara teaches that the driving method is applicable to a drive liquid crystal display device (see abstract).

Application/Control Number: 09/256,346 Page 7

Art Unit: 2675

Allowable Subject Matter

6. Claims 5, 6, 8/5/3/2/1, and 9/6/5/3/2/1 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

7. *Claims 16-19* are allowed.

Response to Arguments

8. Applicant's arguments with respect to claims 1-9 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alecia D. Nelson whose telephone number is (703) 305-0143. The examiner can normally be reached on Monday-Friday 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steve Saras can be reached on (703) 305-9720. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/256,346 Page 8

Art Unit: 2675

10. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

adn/ADN August 20, 2005

SUMATI LEFKOWITZ
SUPERVISORY PATENT EXAMINER